- 340-589. Higashimoto, Y., Y. Fukuchi, K. Ishida. Y. Shimada, M. Chata, et al. Effect of Chronic Tobacco Smoke Exposure on the Function of Alveolar Macrophages in Mice. Respir 1994;61:23-27.
- 340-590. Higgins, I. 1985. Lifetime passive smoking and camer risk. [Letter]. Langet 1(8433):866-867.
- 340-591. Higgins, M., Keller, K., Becker, M. et al. An index of risk for obstructive airways disease. Am Rev Respir Dis 1982;125;144-51.
- 340-592. Higginson, J. 1985. In: Mass, M., Raufman, D., Siegfried, J., et al., eds. Cancer of the Respiratory Tract:
 Predisposing Factors. Carcinogenesis -- A Comprehensive Survey, Vol. 8., Raven Press, New York. Pp. 437-442.
- #340-593. Hill, M.J. and A. Giacosa. Public att: tudes to passive smoking Europe. Editorial. Euro J. Cancer Prevent. 1993, p.2, 367-368.
- 340-594. Hill, D. 1986s. Public opinion about Emoking in restaurants and at work. Med. J. Austral. 145(11-12):457-658.
- 340-595. Hill, D. 1986b. Public opinion, in Victoria about the dangers of passive smoking [Letter]. Neil J. Aust. 144(11):615-616.
- V340-596. Hiller, F., Anderson, P., Mazumder, M. 1987. Deposition of sidestream cigarette smoke in the human respiratory tract.

 II. Deposition of ultrafine smoke particles. Toxicol. Lett. 35(1):95-99.
- v340-597. Hinton, A.E., R. Herdman, D. Hirsch, and S. Haeed. Parental cigarette smoking and tonsillectomy in children. Clin. Otolaryngol. 1993, 18, 178-180.
- √340-598. Hirayama, Takeshi. Dietary Habits are of Limited Importance in Influencing the Lung Cancer Risk Among Japanese females who Never Smoked.
- 340-599. Hirayama, T. 1981. Nonsmoking wives of neavy smokers have a higher risk of lung cancer; A study from Japan. Br. Med. J./ (282:183-185.
- 340-600. Hirayama, T. 1993. Passive smoking and ..ung cancer: consistency of association. Lancet 2:14:5-1426.

- 340-601. Hirayama, T. 1984a. Lung cancer in Japan: Effects of autrition and passive smoking. In: Misell, M. and Correa, P., eds. Lung Cancer: Causes and Prevention. Chapter 14. Verlang Chemie International, New York. Pp. 174-195.
- v340-602. Hirayama, T. 1984b. Cancer mortality in nonsmoking women with smoking husbands based on a large-scale cohort study in Japan. Prev. Med. 13:680-690. (as in IARC 1986). 8-/43
- 340-603. Hirayama, T. Passive snoking-a new target of epidemiology. Tokai J. Exp. Clin. Med. 1985 Aug; 10(4):287-93.
- 340-604. Hocking, B., Borland, R., et al. A total ban on workplace, smoking is acceptable and effective. J. Occup Red/Vol. 33
 No.2/Feb. 1951.
- 340-605. Hodgson E. Healthcare in Industry. Dranti-smoking policies work?
- √340-606. Hodgson, M.J. Health Risk of Indoor Pollucants.
- NA40-607. Hoffman, Richard E., R. Wood, and K. Kreiss. Building-Related Asthma in Denver Office Workers. Amer. J. Pub. Hith, January 1993, Vol.83, No.1.
- V340-608. Hoffman, Dietrich, K. Brunnemann, J. Adams, and M. Haley.
 Indoor Air Pollution by Tobacco Smoke: Model Studies on the
 Uptake by Monsmokers. Abstract.
 - 340-609. Hoffman, D., Lavori, E., and Hecht, B. 1985a. Nicotine: A procursor for carcinogens. Cancer Lett: 2:67-75.
- 340-610. Hoffmann, D., Melikian, A., Adams, J., et al. 1985b. New Aspects of Tobacco Carcinogenesis. In Mass, M., Kaufman, D., Siegfried, J., et al., eds. Cancer of the Respiratory Tracts Precisosing Factors. Carcinogenesis—A Comprehensive Survey, Vol. 8. Raven Press New York, Pp. 239-256.
- V340-611. Hoffmann, D. and Wynder, E. 1986. Chemical constituents and bioactivity of tobacco smoke. IARC Sci. Publ. 74:145-165.
- 340-612. Hoffmann, D. and Wynder, I. 1987. Significance of exposure to sidestream tobacco smoke. IARC Sci. Publ. 81:3-10.
- 340-613. Hoffmann, D., Adams, J., and Brunnemann, K. 1987. A critical look at N-nitrosamines in environmental tobacco smoke. Toxicol. Lett. 35(1):1-8.

- Chemical Studies on Tobacce Smoke LIVIII. Analysis of Volatile and Tobacco-Specific Mitrosamines in Tobacco Products. In: M-Mitrosos Compounds: Analysis. Formation and Occurrence. Proceeding of the VIth International Symposium on M-Mitroso Compounds held in Budapest, 16-20 October 1979. Walker, E., Griciute, L., Castegnaro, M., and Borssonyi, M., eds. IARC Sci. Publ. No. 31., International Agency for Research on Cancer, Lyon. Pp. 507-516.
- 340-615. Hoffmann, Dietrich, K. Brunnemann, B. Prokopcsyk, and M. Djordjevic. Tobacco-specific M-Mitrosamines and Arecaderived M-Mitrosamines: Chemistry, Biochemistry, Carcinogenicity, and Relevance to Mumans. J. Toxicol. Environ. With, 41:1-52, 1994.
- \$\sqrt{340-616.}\$ *Hole, D., Gillis, C., Chopra, C., Eawthorne, V. Passive smoking and cardiorespiratory health in a general population in the west of Scotland [see comments]. Comment in: BMJ 1989 Sep 16: 299(6701):742. Comment in: BMJ 1990 Jan 13: 300(6717):120-1. BMJ 1989 Aug 12: 299(6696):423-7.
- 340-617. Role, D., Gillis, C., Chopra, C., Hawthorne, V. Passive smoking and cardiorespiratory health in Scotland [letter; comment] [see comments]. Comment on: BMJ 1989 Sep 16:299(6701):742; Comment in: BMJ 1989 egt 28; 299(6707):1101-1. Source: BMJ 1989, Oct 28; 299(6707):1100-1.
- 340-618. Hollander, W. and Staber, W. 1984. Aerosols of smoke, respiratory physiology and deposition. Arch. Toxicol. Suppl. 9174-87.
- 1840-619. Holcomb, Larry C. Indoor Air Quality and Environmental Tobacco Smoke: Concentration and Exposure. Environ. Internal., Vol. 19, pp.9-40, 1993.
- 340-620. Wollander, W. and V. Stober. Aerosols of Macke, Respiratory Physiology and Deposition. Arch. Toxicol., Suppl. 9, 74-87 (1886).
- 340-621. Holly, Elizabeth A., R. Cress, D. Ahn, D. Aston, J. Kristiansen, and J. Felton. Characteristics of Women by Smoking Status in the San Francisco Bay Area. Cancer Epidemio. Biomarkers Prevent. Vol.491-497, Sept./Oct. 1992.

1.1

- 340-622. Molowaty, E., Risch, M., Miller, A., Burch, J. Lung cander in women in the Miagara Region, Ontario: a Case-costrol study. Can. J. Public Realth 1921 Sep-Oct; 62(5):304-9
- V340-623. Hols, O., R. Meibner, M. Einhaus, F. Koops, E. Warneke, G. Schere, et al. Detection of DMA single-strand breaks in lymphocytes of smokers. Occupa. Environ. With.
- 340-624. Honore, L.E. and C. Lin. Tetraploidy in spontaneous abortion: A pathologic study of 7 cases. Teratology Society Abstracts.
- 340-625. Hornby, S., Kellington, J. 1990. DMA synthesis in alvedlar macrophages and other changes in lavaged cells following exposure of CBA/H mice to digarette smoke. 85:107-112.
- 340-626. Horton, A. 1988) Indoor tobecco make pollution: A major risk factor for both breast and lung cancer? Cancer (Phile).
- V340-627. Hotchkiss, Jon A., S. Kim, R. Movak, and R. Dehl. Enhanced Hepatic Expression of P450IIE1 following inhalation exposure to pyridine. Toxicol. Appl. Pharmacol. 118, 98-104 (1993).
 - 340-628. Hovings, M., Sowers, M., Eumphrey, H. Environmental exposure and lifestyle predictors of lead, cadmins, PCB, and DDT levels in Great Lakes fish eaters. Arch. Environ. Health 1983 Mar Apr; 48(2):98-104.
- 340-629. Howard, George, G. Burke, M. Szklo, G. Tell, J. Eckfeldt, et al. Active and Passive Smoking are Associated with Increased Carotid Wall Thickness. arch. Intern Med/Vol.154, June 1994.
 - 340-630. Howard, G. 1969. Passive smoking--Some of the legal issues. Occup. Realth (Lond). 41(5):122-123.
 - 340-631. Huber G. 1960 Small Edrays Sysfunction in passive smokers. (Letter). New England J. Med. 308:392.
- 340-632. Huch, R., Danko, J., Spatling, L., and Ruch, A. 1980. Risks the passive smoker runs. [Letter]. Lancet 2:1376.
- V340-633. Hudsinski, Leonard G., and P. Sirois. Changes in Smoking Behavior and Body Weight After Implementation of an Mo-Smoking Policy in the Workplace. Southern Med J., Vol.87, No.3, March 1994.

1.1

- 340-634. Hugod, C., Hawkins, L., and Astrup, P. 1978. Exposure of passive smokers to tobacco smoke constituents. Int. Arch. Occup. Environ. Health 42:21-29.
- 340-635. Humble, G., Samet, J., and Pathak, D. 1987. Marriage to a smoker and lung cancer risk. Am. J. Public Health 77(5):598-602. 8-/53
- *340-636. *Humble, C., Croft, J., Gerber, A, Casper, M., Hames, C., and Tyroler, H. 1990. Passive smoking and 20-year cardiovascular disease mortality among nonsmoking wives, Evans County, Georgia. Am. J. Public Health 80(5):599-601. 8-154
- 340-637. Munt, Le 1986, Sidestreem vigarette emble-exposure of mouse cells induces cell stress/heat shock-like proteins.

 Copicology 39(3):259-273.
- √340-638. Hunting, Katherine L., G. Matanoski, M. Larson, and R. Wolford. Solvent Exposure and the Risk of Slips, Trips, and Falls Among Painters. Amer. J. Indust. Ned. 20:353-370 (1991).
 - 340-639. Husgafyel-Pursiainen, K. 1987. Sister-chromatid exchange and cell proliferation in cultured lymphocytes of passively and actively emoking restaurant personnel. Mutat Res. 190(3):211-215.
- 340-640. Husgafvel-Pursiainen, K., Sorsa, M., Engstrom, K., and Einisto, P. 1987. Passive smoking at work: Biochemical and biological measures of exposure to environmental tobacco smoke. Internatl. Arch. Occup. Environ. Health 59(4):337-345. 8-/52
- 340-641. Idle, J.R. Titrating exposure to tobacco smoke using cotinine-a minefield of misunderstandings. J Clin Epidemiol. Vol. 43, No.4, pp.313-317, 1990.
- 340-642. Indoor Air guality. New Jersey Dept. of Health. Div. Cocupa.
- 340-643. Ingebrethsen, B., Heavner, D., Angel, A., Conner, J., Steichen, T., and Green, C. 1988. A comparative study of environmental tobacco smoke particulate mass measurements in an environmental chamber. JAPCA 38(4):413-417.
 - 340-644. Inglehert, J. 1986. The Campaign against smoking gains comentum. New England J. Med. 324(16):1059-1064

- 340-645. Inhalation Fever: A proposed unifying term for febrile reactions to impalation of noxious substances. Brit. I. Indust. Med. 1992;49:296.
- 340-646. Inoue, R. and Hirayama, T. Passive smoking and lung cancer 8-/58 in women. Japan Inst. of Preventive Oncology.
- 340-647. 1988. Instituting a smaking policy [news]. Landet
- 340-648. International Agency for Research on Cancer (IARC). 1972.
 4-Aminobiphenyl. IARC Monographs on the Evaluation of Careinogenic Rist of Chemicals to Humans 1:74-79.
- 340-649. International Agency for Research on Cancer (IARC). 1988.
 N'-Mitroscanatabine (MAX). IARC Monographe on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. 37:233-240.
- 340-650. International Agency for Research on Cancer (IARC). 1987.

 Environmental Carcinogens: Methods of Analysis and Exposure

 Measurement. Volume 9-Passive smoking. O'Meill, I., %-/60

 Brunnemann, K., Dodet, B., and Hoffmann, D., eds. IARC Sci.

 Publ. No. 81., International Agency for Research on Cancer,
 Lyon, France.
- 340-651. International Agency for Research on Cancer (IARC). 1985.
 4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanone (MMK). IARC
 Monographs on the Evaluation of the Carcinggenic Risk of
 Chemicals to Humans. 37:209-223.
- 340-652. International Agency for Research on Cancer (IARC). 1986.

 IARC Monographs on the Evaluation of the Cardinogenic Risk of Chemicals to human: Tobacco Smoking. Vol. 38. IARC vorting group on the Evaluation of the Cardinogenic Risk of Chemicals to Humans, Lyon, France.
- International Commission for Protection Against Environmental Matagens and Carpinogens. The possible involvement of somatic mutations in the development of atherosclerotic plaques. Report of ICPEMC Subcommittee 7/1. Conclusions and recommendations. Mutat Res 1990 Nov; 239(3):143-6.
- 340-654. Iso, H. Folson, A., Wu, K., Finch, A. et al. Hemogratic variables in Japanese and Caucasian pen. Plasma fibrinogen, factor VIIIc; factor VIIIc; and von Villebrand factor and their relations to cardiovascular disease risk factors. Am. J./ Epidemiol 1989 Nov. 130457:925-34.

11111

ATTACHMENT IX

- 340-655. IUD v. API 446 U.S. at 655. 1980. Industrial Union
 Department ARL-CIO v. American PetroZeum Institute et al.
 Certiorari to the Unived States Court of Appeals for the
 Fifth Civcuit. No. 78-911. Argued October 10, 1979 Decided July 2, 1980. Together with No. 78-1036, Marchael
 Secretary of Labor v. American Petroleum Institute et al.,
 also on certiorari to the same court. Pg. 44-45.
- 340-656. Jaakkola, Jouni J.K., P. Tuomaala, and O. Seppanen. Air Recirculation and Sick Building Syndrome: A Blinded Crossover Trial. Amer. J. Publ. Hlth. March 1994, Vol.84, Mo.3.
- 340-657. Jankkola, M., Jankkola, J., Brnst, P., Backlake, M.
 Ventilavory lung function in young cigarette smokers: as
 study of susceptibility. Eur Respir. J. 1992 Jun; (4,6):643-
- 340-658. Jaakkola, M., Jaakkola, J., Ernst, P., Becklake, M.
 Respiratory symptoms in young adults should not be
 overlooked. Am. Rev. Respir. Dis. 1993 Feb: 147(2):359-66.
- '340-659. Jaakkola, Jouni J.K., P. Miettinen, P. Tuomaala, and O. Seppanen. The Helsinki Office Environment Study: The Type of Ventilation System and the "Sick Building Syndrome". Proceeding of Indoor Air 1993, Vol. 1.
- √340-660. Jaarsveld, H van, J. Kuyl, and D. Alberts, and M. Strydom.

 The Effect of passive smoking on mitochondrial function, low molecular weight iron, malondialdehyde and alpha-tocopherol.
 - 340-661. Jack, D. 1985. Fastors contributing to variability in drug pharmacokinetics. III. Metabolism. J. Clin. Mosp. Pharmacy 10(1):25-43.
 - 340-662. Jackson, D., Jk. 1988. hung cancer. Relationship to active and passive smoking, N. C. Med. J. 48(3):151-153.
 - 340-663. Jackson, S., Chenometh, D., Glover, E., Holbert, D., and white, D. 1985. Study indicates sucking essection improves workplace absenteeism rate. Occup. Health Saf. 58(13):15, 15, 16, 18.
- 340-664. Jacob, P., Benowitz, W., Copeland, J. et al. Disposition kinetics of nicotine and cotinine enantiomers in rabbits and beagle dogs. J of Pharmaceutical Sci. Vol. 77, No.5, May 1988.

- -665. Jacob, P., Benowitz, M. and Shulgin, A. Recent studies of nicotine metabolism in humans. Pharmocol biochemistry & behavior, Vol. 30, pp.249-253, 1988.
- 340-666. Jacob, P., Yu, L., Wilson, M. and Benowits, M. Selected ion monitoring method for determination of nicetine, cotining and deuterium-labeded analogs: absence of an isotope effect in the clearance of (8)-Nicotine-3',3'-d, in humans. Biological Mass Spectrometry, Vol. 20, 247-252 (1991).
- 10-667. Jadud, Michael A., and B. Rock. Tobacco smoking policy and indoor air quality: a case study. Energy Buildings, 20 (1993) 143-150.
- 0-668. Janerich, D., Thompson, W. Varela, L., Greenwald, P. et al. Lung cancer and exposure to tobacco smoke in the household [see comments]. Comment in: M. Engl. J. Med 1991 Feb 7; 324(6):412-5. Source M. Engl. J. Med. 1990 Sep 6; Ex. 8-164 323(10):632-6.
- 0-669. Jantze, D. U. Gundimeda, S. Chen, and R. Gopalakrishna. Acrolein and other aldehydes present in tobacco smoke induce activation/inactivation of protein kinases C - protection by thiol agents. Air Pollutants (2360-2363).
- /340-670. Jarcsyk, L., G. Scherer, C. von Maltsan,, W. Luu, and F. Adlkofer. Comparison of Intake of Micotine from Environmental Tobacco Smoke Between Mose and Mouth Breathers. Environ. Internatl, Vol. 15, pp.35-40, 1989.
- 340-671. Jarcenk, L. Scherer, G. and Adlkofer, F. 1989. Serum and salive concentrations of cotinine in smokers and passive smokers. J. Clin Chem. clin. Biochem. 27(4):230-231.
- 40-672. Jarvholm, B., S. Larsson, S. Hagber, S. Olling, W. Ryd, and K. Toren. Quantitative importance of asbestos as a cause of lung cancer in a Swedish industrial city: a case-referent study. Eur. Respir. J. 1993, 6, 1271-1275.
- v340-673. Jarvis, M., Pedoe, H., Feyerabend, C. et al. Biochemical markers of smoke absorption and self reported exposure to passive smoking. Journal of Epidemiology and Community Health, 1984, 38, 335-339.
- 340-674. Jarvis, M., Pedoe, H., Feyerbrabend, C. et al. Comparison of tests used to distinguish smokers from nonsmokers. ALPH Nov. 1987, Vol. 77, No.11.

1 1 1 b t

ATTACHMENT IX

- √340-675. Jarvis, N. and Russell, N. Measurement and estimation of smoke dosage to non-smokers from environmental tobacco smoke. Eur J Respir Dis Suppl 65:68-75, 1984. 8 /65
- y\$40-676. Jarvis, M. 1985. Serum thiocyanate in passive smoking. [Letter]. Lancet 1(8421):169.
- 340-677. Jarvis, 1987. Uptake of environmental tobaged backs, 1280 861. Publ. 41:45-58.
- 340-678. Jarvis, M. 2989. Application of biochemical intake markers to passive smoking measurement and risk estimation. Mutat. Res. 222(2):101-110.
- 340-679. Jarvia, M. and Russell, M. 1985. Passive exposure to tobacco smoke. [Letter]. Br. Med. J. 252(6309) 1644.
- $\sqrt{340-680}$. Jarvis, Martin J. Passive Smoking.
- 340-681. Jarvis, M., McMeill, A., Russell, M., et al. 1987. Passive smoking in adolescents: One-year stability of exposure in the home [Letter]. Lancet 1(8545):1324-1325.
- /340-682. Jarvis, M., Russell, M., and Feyerbend, C. 1983. Absorption of nicotine and CO from passive smoking under natural conditions of exposure. Thorax 38:829-833.
- \$40-683. Jarvis, M., Russell, M., Benowits, M., and Feyerabend, C.
 1988. Elimination of cotinine from body fluids:
 Implications for noninvasive measurement of tobacco smoke exposure. Am. J. Public Health 78(6):696-698.
- 340-684. Jarvis, Martin J., J. Foulds, and C. Feyerabend. Exposure to passive smoking among bar staff. British J. Addiction (1992) 87, 111-113.
- √340-685. Jarvis, M., Russell, M., Feyerabend, C., Eiser, J., Morgan, M., Ganmage, P., and Gray, E. 1985. Passive exposure to tobacco smoke: Saliva cotinine concentrations in a representative population sample of nonsmoking schoolchildren. Br. Med. J. 291(6500):927-929.
- 340-686. Jauhari, Jitendra. Passive Smoking. J. Indian Med. Assoc., Vol.91, No.5, May 1993.
- 340-687. Jenista, J. 1989. Smoking policy in pediatric hospitals and wards. Am. J. Dis. Child, 143(1):867-869.